### CENTRE FOR TUBERCULOSIS RESEARCH MICROBIOLOGY DEPARTMENT NIGERIAN INSTITUTE OF MEDICAL RESEARCH



### LABORATORY CLIENT HANDBOOK

MO 7.2.4 01 V1



Effective Date: February 2024

#### **TABLE OF CONTENTS**

Title Page

Table of Contents	01
Revision Record	02
Preface	02
Background	03
NIMR Laboratory Vision and Mission Statement	03
Location and Contact Information	04
Laboratory Business Schedule	04
Instruction for Specimen Collection	05
Specimen Collection/Acceptance/Rejection Criteria	05
Instruction on Transport of Sputum Specimen	
Tests available, Methods, Frequency of Testing and TAT Times	
Reporting of Results	08
Other Services	09
Acknowledgements	10

#### REVISION RECORD

Revision No.	Reason for Revision	Revision Date	

#### **PREFACE**

Dear Colleague,

Thank you for your interest in accessing the services of The Centre for Tuberculosis Research, NIMR.

The Centre for Tuberculosis Research at NIMR provides clinical diagnostic testing services for patients suspected of Tuberculosis diseases. This laboratory is also involved in performing Research in the area of Tuberculosis as stated in the Institute Mission statement.

The staff of the Reference Laboratory is committed to providing the highest quality service to you our clients and as such we have instituted and will continue to upgrade systems and policies to ensure that the quality of our services is assured at all times.

We hope that this Client Handbook will provide the necessary information to facilitate access to our services and we welcome the opportunity to serve you.

#### **BACKGROUND**

The Centre for Tuberculosis Research (CTBR) is located in the Nigeria Institute of Medical Research (NIMR) compound, Yaba, Lagos. This laboratory was established by the Federal Military Government through the Research Institute order 1977, pursuant to the National Science and Technology Development Agency Decree (No 5) of 1977. The National Tuberculosis Reference Laboratory (NTBRL) was initially established for research on tuberculosis infection in order to meet the Institute's mandate. From 2005, the scope of services rendered gradually increased and the laboratory was included as one of the DOTS diagnostic centres. In 2007, the CTBR was expanded and renovated to meet up with the organization's policy and standard of providing quality services to the private and public sectors. The laboratory was commissioned as a National Reference Laboratory by the Honourable Minister Prof (Mrs) Grange in February, 2008. The services provided at the CTBR are outlined in detail in this handbook.

MO 7.2.4 01 V1 Page **2** of **11** 

#### **Our Vision**

"To be the foremost tuberculosis research and diagnostic laboratory in Nigeria, committed to providing effective and efficient clinical diagnosis and research in Tuberculosis"

#### **Our Mission**

- > To carry out innovative research on tuberculosis infections and disseminate the findings through publications, meetings and presentations.
- > To render accurate, reliable and quality clinical diagnostic services for the timely management of patients affected by tuberculosis.
- > To keep our staff motivated so that they can provide services in a conducive working environment.

### **LOCATION AND CONTACT INFORMATION**

The NIMR Centre for Tuberculosis CTBR is situated at:

6, Edmund Crescent, (Off Murtala Mohammed Way)

P.M.B. 2013, Yaba, Lagos - Nigeria

Telephone: 08097009975

E-mail: ctbr@nimr.gov.ng

Website: www.nimr.gov.ng

### **LABORATORY CONTACT INFORMATION**

Centre for Tuberculosis Research, Office 09093845605

**Head CTBR** 

Mrs Kunle-Ope Chioma: 08036808878

NOTE: For Enquiry /Complaint please call the numbers above.

MO 7.2.4 01 V1 Page **3** of **11** 

#### LABORATORY BUSINESS SCHEDULE

The NIMR Centre for Tuberculosis research is open from Monday to Friday during the hours of 8:00 a.m. to 4:00 p.m. except for Public Holidays.

The declared public holidays in the Nigeria are as follows:

HOLIDAY	MONTH	DAY
New Year's Day	January	01
Mohlud Nabbiy*		
Good Friday*		
Easter Sunday*		
Easter Monday*		
Workers Day	May	01
Democracy Day	June	12
Ramadan *		
Eid-el-Fitri *		
National Day	October	01
Eid-el-Addha *		
Christmas Day	December	25
<b>Boxing Day</b>		26

<sup>\*</sup>Public Holiday that is movable

#### **INSTRUCTIONS FOR SPECIMEN COLLECTION**

#### **SPUTUM**:

Patients are advised to collect specimen as follows:

- Remove dentures and rinse mouth with water
- Take labelled specimen container and go out to an open space [Designated place]
- Open lid of specimen container
- Take a deep breath and cough deeply
- Spit out material into the specimen container
- Continue this process until the required amount of material (3-5ml) is collected into a 50ml translucent container
- Replace lid on the container
- Bring container with specimen to the Clinic which will then be forwarded to the laboratory

NOTE: A designated personnel is available at the DOTs Clinic to assist in collection, labelling and sorting of specimens from patients.

#### **OTHER SPECIMENS:**

For collection of other specimens such as plural fluid, biopsies and bronchial washes, please contact the Clinician at the DOTS Centre.

# SPECIMEN COLLECTION / ACCEPTANCE / REJECTION CRITERIA

#### SPECIMEN ACCEPTANCE CRITERIA

All specimens being sent for laboratory investigation must be *clearly labelled* with the following information on the container:

- Patient identification and Laboratory serial number
- Date and time of collection
- Required volume of specimen is 3-5ml

All specimens must be accompanied by *patient documentation* (*specimen request form*). Information required for each specimen is as follows:

- Name of Health Unit.
- Date and Time of request
- Patient's information (i.e., name, sex, age, address, etc
- Sputum ID No/ Patients LGA TB No
- Reason for examination (e.g., diagnosis or follow-up)
- Specimen identification number
- Month of treatment (follow-up/Diagnosis)
- Signature of person requesting examination

- All specimen collected from other facilities should be transported in a cold chain (at temp 2 to 8°C) using a cold box
- Please ensure legibility of patients' information.

MO 7.2.4 01 V1 Page **5** of **11** 

SPECIMEN REJECTION CRITERIA	FURTHER ACTION
Unlabelled or mislabelled specimen	Specimen will be discarded and client notified
Specimens with insufficient volume	A new sample will be requested
Leaking specimen	
Contaminated specimen	
Salivary specimen	
Bloody sputum sample (rejected only for GeneXpert assay) carry out AFB on the sample.	Inform requesting facility/Clinician.
Specimens without request form	Hold specimen, advice DOTs Clinic to send form. If no form is sent within 24 hrs, discard specimen and send out specimen rejection form.
Samples brought to the lab without ice pack	Such samples are rejected, then educate the facility on proper sample handling and transportation
Samples are expected to get to the laboratory by 2:30pm	Educate facilities on the need for proper documentation before close of work

### Sample storage/ Transportation

Samples for culture should be sent immediately to the lab in a cold chain at the temperature  $2^{0}$ - $8^{0}$ C. but if the samples cannot be sent to the lab immediately, it must be kept in the temperature between  $2^{0}$ - $8^{0}$  C (temperature of refrigerator).

Sputum specimen must be transported in cold chain using triple packing. This is necessary to ensure that bacilli remain viable while on transit. The procedure for triple packing is as follows:

- Sputum should be collected in a well labelled transparent container (primary container)
- Each container should be wrapped with an absorbent material and placed in a ziplock bag (secondary container)
- The packaged ziplock bags should be placed in a sputum transport box with ice pack place at the bottom and top of the container (tertiary container)
- The transport box should be sealed and labelled "BIOHAZARD".

### **Specimen Transportation**

The most important factors are the use of a triple packaging system to prevent damage and cross-contamination, storage (in a fridge for a maximum of one week), and transportation conditions.

The triple packaging method is used to pack specimens for transportation:

### 1. Leakproof primary receptacle:



This receptacle contains specimens, e.g., test tubes, Petri dishes, urine vials, etc.

For liquid specimens, absorbent material (hi-tech polymer) is supplied in a quantity sufficient to retain the content of the primary receptacle and to wrap every primary receptacle, so they are individually separated.

#### 2. Secondary Packaging:



Several primary receptacles can be housed in it for transport. It is capable of withstanding, without leakage, an internal pressure of 95 kPa (0.95 bar). The secondary packaging can be rigid (a canister with screw-on cap) or flexible (a two-pocket tray-sealed specimen bag, being the second one designed in order to protect information).

### 3. Outer Packaging:



The Outer Packaging made of 100% recyclable polypropylene ecopolymer is leakproof and strong enough to withstand usual shocks, loadings and accidents during transportation. Three secondary packagings can be set using Medimail/Cooler.

Medimail is yellow and all necessary marking is displayed on its external surface, including a security label to avoid unauthorized use

### **Factors that affect GeneXpert testing**

Bloody samples Samples with food particles

MO 7.2.4 01 V1 Page **7** of **11** 

## Tests available, Accreditation Status, Test Method, Frequency of Testing and Turn Around Times (TAT)

Test	Accreditation Status	Method	Testing Frequency	Turn Around Time	Comments
Microscopy for acid fast bacilli (AFB) detection	SANAS Accredited	Zeihl Neelson Stain/ Flourescent Microsopy	Daily (Mon – Fri)	24 to 48 hrs after specimen receipt	Direct smear on clinical specimens
Gene Xpert MTB/RIF Assay	SANAS Accredited	Gene Xpert	Daily (Mon – Fri)	24 to 48 hrs after specimen receipt	Now used as entry point for TB presumptive cases.
Primary Culture	SANAS Accredited	Solid culture using LJ slants,  Liquid Culture using MGIT 960	Daily (Mon – Fri)	Usually available 4-6 weeks after specimen receipt. Negative cultures are reported after 6-8 weeks 2-6 weeks	Results for specimens that are contaminated are communicated to the facility to collect and resend a fresh sample.
Species Identification	Not Accredited by SANAS	Biochemicals  Line probe assays	Twice weekly (Mon and Thur)	1-14 days depending on method employed	Additional phenotypic and molecular methods may be required for some strains
Drug Susceptibility Testing to First and Second line drugs	SANAS Accredited	Line probe assay (MTBDRplus)	As the samples are available.	5 days	Line probe assay – RIF and INH Fluoroquinolone, Aminoglycosides
		Solid DST using LJ slants Liquid DST using MGIT 960		4-6 weeks 3-4weeks	SIRE, PZA Fluoroquinolone, Aminoglycosides

MO 7.2.4 01 V1 Page **8** of **11** 

(Proportion method)

RIF – Rifampicin,

SIRE – Streptomycin. Isoniazid, Rifampicin, Ethambutol, INH – Isoniazid

PZA - Pyrazinamide

#### REPORTING OF RESULTS

#### **Initial Report on specimens**

Microscopy results: Direct / Concentrated/Culture smears

### **For Negative Smears:**

➤ No Acid-Fast Bacilli seen (No AFB Seen)

#### For Positive Smears:

Microscopy results: Direct

Results are reported depending on number of bacilli seen on the smear and results can be as follows:

- actual numbers
- ▶ 1+
- > 2+
- **>** 3+

New positive results of AFB microscopy are telephoned as soon as they become available if clients request for it, usually within 48 hours. Written reports are issued within 2 working days from receipt of specimen.

### **Initial Reports on Positive Cultures**

Culture positive, Mycobacterium species (after ZN is done and AFB seen on smear)
MO 7.2.4 01 V1

### Final Report on Cultures after identification is performed

- Report species either as MTB Complex or NTM (when CM is done most NTMs can be identified), report species and clinical significance (if appropriate)
- ➤ If AFB seen and cannot be identified report as mycobacteria species unable to further identify
- If no growth was seen report at the end of 6 or 8 weeks –tick negative as indicated on the result form.

\_\_\_\_

### **Molecular Line Probe Assay**

Report as MTBC, Sensitive or Resistant to Rifampicin and or Isoniazid

### **Gene Xpert Assay**

- Report as MTB detected
- > MTB not detected
- MTB detected RIF resistance detected
- ➤ MTB detected RIF resistance not detected
- ➤ MTB detected trace
- ► MTB detected RIF resistance indeterminate.

Page **9** of **11** 

#### For TB LAMP

- Positive
- Negative

**Drug Susceptibility**: Proportion Method

Report Sensitive or Resistant to the first-line drugs (include drug concentration used)

### **Cumulative reports**

Cumulative results on a patient with positive results will be sent out at the end of the test

#### Delay in release of results

A delay in the release of results is communicated through phone call, email or submission of a form to the Client requesting the test.

#### Other Services:

#### Research:

Research in various areas of Tuberculosis is conducted by the staff and Research Fellows attached to the Centre for Tuberculosis research [CTBR]. For details on areas of research, please contact the Laboratory Director/Manager.

### **Training:**

Training in various areas of TB diagnostics is conducted by the staff of the Centre for Tuberculosis Research, both for in-house staff as well as other institutions.

### **Impartiality**

The CTBR treats all patients/clients fairly without discrimination. Personnel of the department are accountable for the quality and integrity of the laboratory services they provide. This obligation includes maintaining individual competence in judgment and performance and striving to safeguard the patients/clients from impartial or illegal practice by others. Financial or political considerations do not influence testing. Personnel employed in each centre owe a duty of fidelity to the department.

#### **Confidentiality of Patient Information**

Patient information as contained in all laboratory records and medical records are treated with utmost confidentiality. Towards this end, the NIMR, TB Reference Laboratory has a procedure in place to ensure patient confidentiality and to ensure that records of patient results are accessible only by authorized personnel.

MO 7.2.4 01 V1 Page **10** of **11** 

- a. Patient samples are given a unique identifier on receipt and this is used throughout the testing process
- Employees are made to sign a confidentiality
   statement which is placed in their personnel file.
- The confidentiality statement states that patient results will not be discussed with any third party, non-employees, friends or family
- d. Employees will not discuss patient results in public or within the vicinity of other patients
- e. Notebooks and registers containing patient results are kept in a lockable cabinet to prevent unauthorized access.
- f. Telephone calls to patients will ensure that the patient is identified before results are given
- g. Electronic records stored in computers are passworded to enhance access control.
- h. For research projects, the names and identities of patients will not be disclosed and published.
- **ACKNOWLEDGEMENTS**

The NIMR Centre for Tuberculosis Research, CTBR wishes to express its thanks to the following persons who contributed to this document:

- The technical staff of the Centre for Tuberculosis Research for their technical guidance.
- The administrative support staff of the Centre for Tuberculosis Research for their preparation of this document.
- The ASM Consultant, Dr. Shirematee Baboolal who provided Technical Assistance during the preparation of this document

#### Distribution

- #1 Clinicians
- #2 Patients
- #3 CTBR Website

Updated in January 2024

MO 7.2.4 01 V1 Page **11** of **11**